SRI LAXMINRISIMHA TRADING Co., LTD.

SAYAJI RAO ROAD, MYSORE.

Dated 2nd September 1934.

I. Notice is hereby given to all concerned that at the General Meeting of Sri Laxminrisimha Trading Co. Ltd., Srirampet, Mysore, held on 26th August 1934. The following special Resolution was passed ; that the Company be voluntarily Liquidated as the running of it is not profitable, and that Mr. N. A. Sampathkumara Char, the present Manager, should act as the Liquidator so as to bring the affairs of the company to a speedy conclusion.

N. A. SAMPATHKUMARA CHAR,
Liquidator."

II. Notice is hereby given to all creditors of Sri Laxminrisimha Trading Co. Ltd., Sivarampet, Mysore, that a meeting of the creditors of the company will be held on Sunday 16th September at 9 A.M. at the Registered Office of the Company under Section 209 of the Mysore Companies Regulation.

N. A. SAMPATHKUMARA CHAR,
Liquidator."

GOVERNMENT OF MYSORE STORES PURCHASE COMMITTEE, BANGALORE.

No. S.P.C. 4514-26, *dated* 31*st August* 1934.

To

The Firms dealing in Galvanized. Telephone Wires.

Enquiry No. 1032.

GALVANIZED TELEPHONE WIRES.

GENTLEMEN,

Please quote your best prices and earliest time of delivery for the following materials :—

(1) 200 Miles of No. 8 B.W.G. Galvanized telephone wire manufactured strictly in accordance with B.E.S.A. specification No. 182 of 1927, the resistance of the wire being not more than 14 ohms per mile and breaking strength being not less than 1200 lbs.

(2) 400 lbs. of No. 10 B.W.G. Galvanized telephone wire manufactured strictly in accordance with B.E.S.A. specification No. 182 of 1927, the resistance of the wire being not more than 22 ohms per mile and breaking strength not less than 780 lbs.

(3) 55 Miles of specially galvanized $\frac{3}{8}$" overhead ground wire, 7 ply, Siemens-martin standared, extra heavy galvanized, in strict conformity with B.E.S.A. specification No. 183 of 1927, diameter of each wire being 0.125", breaking strength not less than 6800 lbs., elastic limit in 24" ten per cent, approximate weight per mile 1563 lbs., to be supplied in lengths of one mile, each properly coiled on a separate solid wooden drum with lagging.

Detailed specifications of the materials should be furnished in your tender which should be accompanied by samples as far as possible.

Information as to the approximate weight of the wire per mile should be furnished.

The price to be quoted should be per ton and for delivery c.i.f., Madras.

This enquiry will close on the 15th October 1934.

No. S. P. C. 4946, *dated 4th September* 1934.

To

The Firms dealing in Motor Accessories.

Enquiry No. 1038.

TYRES AND TUBES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be, subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Tyres and Tubes" with the above enquiry Number.

This enquiry will be closed on the 18th September 1934.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Heavy Duty Motor Tyre 30×450	2	Bangalore	
2	Do Tube 30×450	4		
3	Do Tube 33×50	2		

N.B.—The prices you quote should be *nett* after deducting the usual discount you allow.

No. S. P. C. 4686-91, *dated 4th September* 1934.

To

The Furniture Contractors.

Enquiry No. 1041.

BULLOCK CART.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Bullock Cart" with the above enquiry Number.

This enquiry will be closed on the 20th September 1934.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted f. o. r.	Time of delivery
	Double Bullock Cart (without top) ..	One	Free delivery at the Serum Institute, Bangalore.	
1	Made of seasoned wood, with accessories complete.			
2	Length of the body 9 ft.			
3	Width 3½ ft.			
4	Length of "Yeru Kalu Mara" (Best Honne wood) 16 ft.			
5	Length of yoke (Niranjee wood) 8 ft. ..			
6	Planks-teakwood, 2 inches thick			
7	Diameter of the wheels 2½ inches (Teakwood) with strong iron tyres, side rings complete.			

No. S. P. C. 4682-85, *dated 4th September* 1934.

To

The Firms dealing in Duplicators.

Enquiry No. 1042.

DUPLICATOR.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Duplicator" with the above enquiry Number.

This enquiry will be closed on the 20th September 1934.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Rotary Duplicator of the latest Design ..	One	Bangalore.	

No. S. P. C. 4724-33, *dated 3rd September* 1934.

To

The firms dealing in Aluminium cable.

Enquiry No. 1043.

3/0 B & S. SIZE ALUMINIUM CABLE, STEEL REINFORCED AND CLAMPS, ETC.

GENTLEMEN,

I write to request you to quote your best prices and the earliest time of delivery for the following materials :—

Item 1.—420 miles Standard 3/0 B. &. S size A. C. S. R. equivalent to 1/0 B. & S. hard-drawn copper wire and having the following specifications :—

Aluminium strands	6/·1672″
Steel strand	1/·1672″
Diameter	·502″
Ultimate strength	6,730 lbs.
Length of each piece approx. ..	4,435 feet.
Weight per 1,000 ft.	230·2 lbs.

The conductivity of individual aluminium strands may be not less than 61 per cent of the International standard for annealed copper.

Item 2.—500 Dead-end clamps suitable for 3/0 A. C. S. R. cable.

„ 3.—1,000 Twist-joints (2 sleeves per joint), suitable for cable, item No. 1 above.

„ 4.—18 Twisting-joints wrenches suitable for use with item No. 1 and 3 above.

„ 5.—1,000 lbs. Flat armour wire, size ·05″ × ·30″.

„ 6.—1,000 Parallel groove clamps suitable for item No. 1 above. (aluminium to aluminium).

„ 7.—400 lbs. No. 4 Round aluminium tie-wire for the above.

„ 8.—18 Come-alongs suitable for 3/0 A. C. S. R. cable.

Detailed specifications for the materials should be furnished, and sketches showing the materials offered against items 2-8 should accompany the tender.

The prices to be quoted should be for delivery c. i. f. Madras.

This enquiry will close on the 15th October 1934.

No. S. P. C. 4798—803, dated 4th September 1934.

To

The Firms dealing in Hardware Materials.

Enquiry No. 1044

HOOP IRON.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be supercribed "Quotations for Hoop Iron" and sent to the undersigned, with the above enquiry Number.

This enquiry will be closed on the 15th September 1934.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Hoop-iron of size $1\frac{1}{4}'' \times 1/18''$	2,500 R.ft.	Bangalore.	
2	do $1\frac{1}{4}'' \times 3/32''$	2,500 „		
3	do $1'' \times 3/32''$	1,000 „		

No. S. P. C. 4885-88, dated 8th September 1934.

To

The Firms dealing in Ferry Boats.

Enquiry No. 1047.

BOATS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of the approved firms.

The quotations should be superscribed "Quotations for Ferry Boats" with the above enquiry Number.

This enquiry will be closed on the 27th September 1934.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Ferry Boats: Length 20 ft., width at centre 4 ft. to 5 ft. Depth to be not more than 4 ft. Capacity to carry load of 2 tons	Two.	Shimoga.	

No. S. P. C. 4873-84, *dated* 8*th September* 1934.

To

The Furniture Contractors.

Enquiry No. 1048.

HAND CART.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Hand Cart " with the above enquiry Number.

This enquiry will be closed on the 24th September 1934.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Hand carts of the following specification :— Platform of the hand cart 3′—9″ wide by 6′—0″ Dimensions of parimara should be 13′—0″ by 4″×3″. Mathiwood plant 1—$\frac{1}{4}$″ thick should be used on both sides of the platform. Tie rods $\frac{1}{2}$″ should be used on both sides of the platform. Flat mild steel bar 1—$\frac{1}{2}$″×$\frac{1}{4}$″ should be fixed on the top of the platform in three places in the centre. Vattemara of the wheel should be 6″ wide and 2″ thick. Flat mild steel bar 2″×$\frac{3}{8}$″ should be used for the tyre of the wheel. Square mild steel 2″ square should be used for the axle. Wheels of the cart should be 5 feet diameter and should be manufactured out of best quality Mysore teakwood, and the platform and top planks out of mathiwood, 1st quality.	8 Nos.	Bangalore.	

N.B.—How soon you will be able to supply the carts should be specified clearly in the quotation.

No. S. P. C. 4852-72, *dated* 10*th September* 1934.

To

The Firms dealing in Metallic Tapes.

Enquiry No. 1049.

METALLIC TAPES REQUIRED FOR THE SEVERAL GOVERNMENT DEPARTMENTS DURING 1934-35.

GENTLEMEN,

Sealed tenders superscribed " Quotation for Metallic Tapes etc.," will be received by the undersigned up to 25th September 1934 in accordance with the conditions of contract specified below

for the supply of metallic tapes in sizes noted below, required for use in Mysore Government Departments during the year 1934-35 :—

1.	Chesterman's metallic tape, J. C. Mark, No. 34 L. or equally good make	100 ft.
2.	Do do	50 ,,
3.	Do do	33 ,,
4.	Do do	25 ,,
5.	Chesterman's metallic refills for the above	100 ,,
6.	Do do	50 ,,
7.	Do do	33 ,,
8.	Do do	25 ,,
9.	Steel tapes, Chesterman's No. 38 L. or equal	100 ,,
10.	Do do	50 ,,
11.	Do do	6 ,,

The rates quoted should hold good for one year from the date of acceptance of your tender.

The Stores Purchase Committee do not bind themselves to purchase any or all the sizes of metallic tapes specified above. The actual requirements of all the departments should be supplied.

The indents of Departmental Officers should be complied with within a week after their receipt.

The prices to be quoted should be for free delivery on rails—Bangalore, Mysore, Kolar, Tumkur, Hassan, Chitaldrug, Shimoga, Krishnarajasagara, French-Rocks, Mandya and Kadur Railway Station and actual railway freight to any other destination to which the metallic tapes may be required to be consigned will be paid extra.

Should your tender be accepted, you will be required to execute an agreement and deposit a sum of Rs. 50 as security for the due fulfilment of the contract.

The above Enquiry Number should be quoted in all your correspondence relating to this.

No. S. P. C. 5044—58, *dated* 10*th September* 1934.

To

The Firms dealing in Electrical Equipment.

Enquiry No. 1056.

OIL CIRCUIT BREAKERS AND WALL ENTRANCE BUSHINGS.

GENTLEMEN,

Please quote your best prices and earliest time of delivery for the following materials :—

(1) *Two*—High Speed Oil Circuit Breakers, 88,000-volt 300-amps., T.P.S.T., solenoid operated, automatic, remote control, complete with bushing type current transformers and auxiliary switches and sufficient quantity of No. 6-C. Transil oil for the initial filling. The rupturing capacity of the oil circuit breakers should be not less than 180,000-K.V.A. at the rated voltage and the speed should be such as to isolate the circuit within 1/10th of a second in cases of severe faults. These oil circuit breakers are meant for use at the either end of a 140-mile transimission line of 78,000-volts 3-phase 3-wire 25-cycle with neutral solidly grounded system. The solenoid mechanism should be capable of operation from a 110-volts battery, but there should also be provision made for hand-operating the circuit breakers. The mechanism should be proof against pumping either during opening or closing and should be trip free. The bushing type current transformer should have a secondray of 5-amps. and be fitted with taps for taking the following 3 ratios, *viz.*, 300 : 200 : 100 : 5. Each oil circuit breaker should be provided with 6 current transformer 3 for the overload protection and 3 for the differential protection of the transformer banks, the ratios being identical. The bushings of the oil circuit breaker should be oil-filled and with a gauge glass and breather at the top. At the botom of the bushings, there should be a hole for draining off the oil. The complete unit of each bushing, should be such as to be capable of being easily replaced. The oil circuit breaker should be capable of operation twice with an interval of 2 minutes and be capable of carrying on full load afterwards for such time that it is possible to inspect the same. Auxiliary switches fiitted in the operating mechanism should have a cover dust and insect proof. The temperature rise of any part during full-load conditions should not exceed 40° above an ambient temperature of 35°.

(2) *Six*—Wall Entrance Bushings 88,000-volts, suitable for use on the system 3-phase 3-wire 78,000-volts 25-cycle with neutral solidly earthed. The wall entrance bushings should be mechanically strong and the dry and wet flash-over value of the material offered should be furnished. The bushings will be installed on the walls with a tilt of 15° from horizontal, so that rain water does not find access to inside the station.

Firms offering the material should furnish full details with regard to the rated voltage, rupturing capacity and the time required for isolating the circuit by the oil circuit breakers. Rough dimension sketches showing the overall dimensions and as far as possible the details also, should be furnished with the quotations.

The price to be quoted should be for delivery C. I. F., Madras.

This enquiry will close on the 30th October 1934.

No. S. P. C. 5167-76, *dated 8th September* 1934.

To

The Furniture Contractors and Timber Merchants.

Enquiry No. 1058.

SCANTLINGS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Scantlings," with the above enquiry Number.

This enquiry will be closed on the 27th September 1934.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Well seasoned planks, free from flaws and defects:—		Banglaore or free delivery at the School of Engineering, Bangalore.	
	Rangoon Teakwood:—			
	6′×4″×1″	13 Nos.		
	6′×2″×2″	45 ,,		
	6′×2″×1″	116 ,,		
	Teakwood:—			
	6′×3″×2″	8 ,,		
	6′×18″×3″	3 ,,		
	6′×18″×2″	3 ,,		
	6′×18″×1″	3 ,,		
	6′×18″×¾″	3 ,,		
	6′×18″×½″	3 ,,		
	6′×18″×¼″	3 ,,		
	Nandi wood:—			
	6′×4″×3″	34 ,,		
	Teakwood casing with capping 1″	200 ft.		

N.B.—The rate for the planks should be quoted in *Cubic feet* only. The total cost of each item should also be noted in the quotation.

No. S. P. C. 5289—5300, *dated 10th September* 1934.

To

The Firms dealing in Electric Cables.

Enquiry No. 1059.

UNDERGROUND CABLE.

GENTLEMEN,

Please quote your best price for the following material delivered F. O. R. Mysore.

1,000 Feet.—Cable underground 3 core, 4 B. & S. lead covered, steel armoured, jute served, Compounded suitable for 600 volts, A. C. pressure.

Full details regarding the insulation thickness, overall dimension of the cable, etc., should be furnished in your tender.

As we require the material urgently, preference will be given to offers for delivery *immediately from stock* in India. In case you are unable to supply from stock, the earliest possible date within which you can supply the material should be specified in your tender.

This enquiry will close on the 28th September 1934.

Yours faithfully,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

No. S. P. C. 5312—13, *dated 8th September* 1934.

NOTICE.

Enquiry No. 1051.

STEEL POLES.

Sealed tenders will be received by the undersigned up the 29th September 1934 for the supply of 500 steel poles, 45 ft. overall length. Detailed specifications can be had from the undersigned.

No. S. P. C. 5317-18, *dated 10th September* 1934.

NOTICE.

Railway Indent No. 12 *and S. P. C. Enquiry No.* 1021 *for portable power-driven welding machines published in the Indian Trade Journal.*

The closing date for the tenders in respect of the above enquiry has ben advanced from the 19th November 1934 to the 15th October 1934 as the welding machines are very urgently required.

Intending tenderers should therefore submit their quotations to reach the undersigned *on or before the 15th October* 1934 if their tenders should be considered.

By Order,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

IN THE COURT OF THE DISTRICT JUDGE OF BANGALORE DIVISION.

Miscellaneous Application No. 10 *of* 1934-35.

(1) Elizabeth Ellen Deborah Steele, widow of Frank Arthur Steele, (2) Ronald Leslie Steele eldest son of Frank Arthur Steele, both residing at 1. Langford Road, C. & M. Station, Bangalore .. .. *Petitioners.*

Whereas an application under Section 244 of Indian Succession Act of 1865, for grant of probate of the will of Frank Arthur Steele, retired Executive Engineer, No. 1, Langford Road, C. & M. Station Bangalore, has been made by the abovenamed petitioners and whereas the 17th day of September 1934, has been fixed for the hearing of this case, notice is hereby given that any person having any interest in the estate of the said deceased may, if he desire, appear in this Court on the said 17th day of September 1934, and see the proceedings before the grant of probate.

Given under my hand and the seal of this Court the 3rd day of September 1934.

N. K. SREENIVASA RAO,
District Judge.